



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/673,753	09/29/2003	Kevin P. Wright	03AB140/ALBRP328US	1468

7590 03/07/2006
Susan M. Donahue
Rockwell Automation
704-P, IP Department
1201 South 2nd Street
Milwaukee, WI 53204

EXAMINER

BARBEE, MANUEL L

ART UNIT PAPER NUMBER

2857

DATE MAILED: 03/07/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/673,753	Applicant(s) WRIGHT ET AL.	
	Examiner Manuel L. Barbee	Art Unit 2857	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 November 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-32 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-32 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 29 September 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>8-26-04</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Objections

1. Claims 8, 18 and 27 are objected to because of the following informalities:

In claim 8, line 1 of the claim, after "part", insert --based--.

In claim 18, line 2 of the claim, delete "base", and insert --based--.

In claim 18, line 3 of the claim, after "machine," insert --and--.

In claim 27, line 4 of the claim, delete "of" or "on".

Appropriate correction is required.

Claim Rejections - 35 USC § 101

2. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

3. Claims 1-19 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. Claims 1-19 are directed to systems.

Applicant's disclosure states that a system may refer to software, and therefore claims 1-19 may be directed to software (page 6, lines 1-3). The claims lack a requirement for the computer readable medium needed to realize the software functionality. Therefore, the claims are considered to be nonstatutory functional descriptive material (MPEP 2106 Subheading IV. B. 1. (a). "Functional Descriptive Material").

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

Art Unit: 2857

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 1 and 7-10 are rejected under 35 U.S.C. 102(b) as being anticipated by Woolard et al. (US Patent No. 6,178,362).

With regard to a plurality of sensors associated with one or more loads, as shown in claim 1, Woolard et al. teach receiving meter data from meters in a facilities (col. 3, line 61 - col. 4, line 6; col. 5, lines 1-29; col. 5, line 45 - col. 6, line 22). With regard to a load control component that has a waveform analyzer that receives data from the sensors and determines power data that is utilized to determine the rate of energy distributed to the load, Woolard et al. teach an energy manager that tracks energy usage and finds trends and performs load shape analysis (functions of a waveform analyzer) and generates energy rate scenarios using the data (col. 5, line 45 - col. 6, line 22).

With regard to the load control component communicating with other load control components to determine a load control strategy, as shown in claim 7, Woolard et al. teach the energy management system includes a central server in communication with other servers (col. 7, line 26 - col. 8, line 25). With regard to determining the control strategy based upon data captured by the plurality of sensors, as shown in claim 8, Woolard et al. teach an energy manager that tracks energy usage and finds trends and performs load shape analysis (functions of a waveform analyzer) and generates energy rate scenarios using the data (col. 5, line 45 - col. 6, line 22). With regard to collecting data relating to the health of the load and using data to determine power data, as shown in claims 9 and 10, Woolard et al. teach an energy manager that tracks energy usage

and finds trends and performs load shape analysis (functions of a waveform analyzer) and generates energy rate scenarios using the data (col. 5, line 45 - col. 6, line 22).

6. Claims 11 and 16-18 are rejected under 35 U.S.C. 102(b) as being anticipated by Forth et al. (US Patent Application Publication 2002/0120521).

With regard to a plurality of sensors associated with one or more machines, as shown in claim 11, Forth et al. teach meters that measure data related to energy consumption (par. 26). With regard to a programmable logic controller (PLC) that collects data from the sensors and determines the power to be distributed based at least in part upon metered data generated by a waveform analyzer component using data from the sensors, as shown in claim 11, Forth et al. teach a PLC that detects and quantifies power data and uses the data for control (pars. 23, 25, 26, 29).

With regard to determining how power is distributed, as shown in claim 16, Forth et al. teach measuring power data (pars. 26, 29). With regard to a waveform analyzer inside the PLC processor module, as shown in claim 17, and determining how power is distributed based on an optimization algorithm, as shown in claim 18, Forth et al. teach a PLC that detects and quantifies power data and uses the data for control (pars. 25, 26, 29). With regard to inputting parameters relating to business concerns, as shown in claim 18, Forth et al. teach measuring revenue information (par. 26). With regard to inputting parameters relating to the health of each machine, as shown in claim 17, Forth et al. teach a PLC that detects and quantifies power data and uses the data for control (pars. 23, 25, 26, 29). With regard to inputting parameters related to the power consumed, Forth et al. teach measuring the power consumed (par. 26).

Claim Rejections - 35 USC § 103

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. Claims 2, 6, 20, 22 and 24-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Woolard et al. in view of Schienbein et al. (US Patent No. 6,738,692).

Woolard et al. teach all the limitations of claim 1 upon which claims 2 and 6 depend. Woolard et al. do not teach that the control component and the waveform analyzer component are connected and communicate via a backplane, as shown in claim 2, or an input component that converts input signals to backplane signals, as shown in claim 6. Schienbein et al. teach an energy management system that uses a backplane to connect components (col. 4, lines 39-51). Schienbein et al. teach converting signals on the backplane (col. 8, line 7 - col. 9, line 67). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the energy management system, as taught by Woolard et al., to include a backplane and converting signals to backplane signals, as taught by Schienbein et al., because then management of dispersed power generation would have been facilitated (Schienbein et al. col. 1, line 42 - col. 2, line 10).

With regard to receiving data from one or more sensors, as shown in claim 20, Woolard et al. teach receiving meter data from meters in a facilities (col. 3, line 61 - col. 4, line 6; col. 5, lines 1-29; col. 5, line 45 - col. 6, line 22). With regard to time-stamping

the data from the individual sensors as it arrives and storing the data in memory, as shown in claim 20, Woolard et al. teach recording history and determining trends of data, which would require time-stamps (col. 5, line 45 - col. 6, line 22). With regard to utilizing the time stamped data and energy algorithms to meter a load, as shown in claim 20, Woolard et al. teach an energy manager that tracks energy usage and finds trends and performs load shape analysis (functions of a waveform analyzer) and generates energy rate scenarios using the data (col. 5, line 45 - col. 6, line 22).

Woolard et al. do not teach transferring the data to a backplane device, as shown in claim 20. Schienbein et al. teach an energy management system that uses a backplane to connect components (col. 4, lines 39-51). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the energy management system, as taught by Woolard et al., to include a backplane, as taught by Schienbein et al., because then management of dispersed power generation would have been facilitated (Schienbein et al. col. 1, line 42 - col. 2, line 10).

With regard to determining total energy consumed by a load of a given period, as shown in claim 22, Woolard et al. teach determining energy consumption (col. 5, line 45 - col. 6, line 22). With regard to measuring a power factor, as shown in claim 24, Woolard et al. teach determining a power factor (col. 5, line 45 - col. 6, line 22). With regard to a computer readable medium with computer executable instructions, as shown in claim 26, Woolard et al. teach a computer with software for energy management (col. 5, lines 30-44).

Woolard et al. do not teach a backplane device that is a waveform analyzer device on a removable circuit board, as shown in claim 25. Schienbein et al. teach a backplane with connections for energy management and power conversion modules (col. 4, lines 39-51). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the energy management system, as taught by Woolard et al., to include a backplane with connections for energy management and power conversion modules, as taught by Schienbein et al., because then management of dispersed power generation would have been facilitated (Schienbein et al. col. 1, line 42 - col. 2, line 10).

9. Claims 3-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Woolard et al. in view of Schienbein et al. as applied to claim 2 above, and further in view of Holle et al. (US Patent Application Publication 2004/0150384).

Woolard et al. and Schienbein et al. teach all the limitations of claim 2 upon which claims 3-5 depend. Further, with regard to time stamping data as it is received, as shown in claim 5, Woolard et al. teach recording history and determining trends of data, which would require time-stamps (col. 5, line 45 - col. 6, line 22). Woolard et al. and Schienbein et al. do not teach a printed circuit board (PCB) with the waveform analyzer, a processor and memory, as shown in claims 3 and 4. Holle et al. teach a measurement module that measures power data and calculates energy consumption and includes a printed circuit board with a processor and memory (pars. 69, 70; Fig. 8). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the energy management combination, as taught by Woolard et al.

and Schienbein et al., to include a PCB with a processor and a memory, as taught by Holle et al., because then the measurement module would have been easily connected to the energy management system.

10. Claims 12-14 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Forth et al. in view of Schienbein et al.

Forth et al. teach all the limitations of claim 11 upon which claims 12-14 and 19 depend. Further with regard to PLC based card with a processor and a data storage device, as shown in claim 14, Forth et al. teach a processor and memory (par. 25). Forth et al. do not teach a PLC based card located on the PLC backplane, as shown in claims 12 and 13, or a PLC processor and waveform analyzer connected and communicating via a backplane, as shown in claim 19. Schienbein et al. teach an energy management system that uses a backplane to connect components (col. 4, lines 39-51). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the energy management PLC, as taught by Forth et al., to include a backplane, as taught by Schienbein et al., because then management of dispersed power generation would have been facilitated (Schienbein et al. col. 1, line 42 - col. 2, line 10).

11. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Forth et al. in view of Woolard et al.

Forth et al. teach all the limitations of claim 11 upon which claim 15 depends. Forth et al. do not teach time stamping data as it is received and storing the data in a sequence of events table, as shown in claim 15. Woolard et al. teach recording history

Art Unit: 2857

and determining trends of data, which would require time-stamps (col. 5, line 45 - col. 6, line 22). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the energy management PLC, as taught by Forth et al., to include recording history data and determining trends, as taught by Woolard et al., because power distribution would have been controlled for predicted power demands.

12. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Woolard et al. in view of Schienbein et al. as applied to claim 20 above, and further in view of Hart (US Patent No. 5,995,911).

Woolard et al. and Schienbein et al. teach all the limitations of claim 20 upon which claim 21 depends. Woolard et al. and Schienbein et al. do not teach that sensed data is limited to volts, amperes and watts, as shown in claim 21. Hart teaches measuring only volts and amperes from which watts can be easily calculated (col. 5, lines 17-31). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the energy management combination, as taught by Woolard et al. and Schienbein et al., to include measuring only volts and amperes, as taught by Hart, because then fewer sensors and measurement hardware would have been needed.

13. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Woolard et al. in view of Schienbein et al. as applied to claim 20 above, and further in view of Hubbard et al. (US Patent No. 6,094,622).

Woolard et al. and Schienbein et al. teach all the limitations of claim 20 upon which claim 23 depends. Woolard et al. and Schienbein et al. do not teach measuring

harmonic distortion, as shown in claim 23. Hubbard et al. teach measuring harmonic distortion (col. 4, line 58 - col. 5, line 3). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the energy management combination, as taught by Woolard et al. and Schienbein et al., to include measuring harmonic distortion, as taught by Hubbard et al., because then power consumption would have been better characterized and controlled.

14. Claims 27, 28 and 30-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Woolard et al. in view of Schienbein et al. and Holle et al.

With regard to retrieving load data from one or more sensing devices, as shown in claim 27, Woolard et al. teach receiving meter data from meters in a facilities (col. 3, line 61 - col. 4, line 6; col. 5, lines 1-29; col. 5, line 45 - col. 6, line 22). With regard to deriving energy data using a microprocessor and load data and determining a load control strategy and controlling loads according to the strategy, as shown in claim 27, Woolard et al. teach an energy manager that tracks energy usage and finds trends and performs load shape analysis (functions of a waveform analyzer) and generates energy rate scenarios using the data (col. 5, line 45 - col. 6, line 22).

Woolard et al. do not teach that the microprocessor is located on a PCB in a slot of a backplane, as shown in claim 27. Schienbein et al. teach an energy management system that uses a backplane to connect components (col. 4, lines 39-51). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the energy management system, as taught by Woolard et al., to include a backplane, as taught by Schienbein et al., because then management of dispersed

Art Unit: 2857

power generation would have been facilitated (Schienbein et al. col. 1, line 42 - col. 2, line 10).

Holle et al. teach a measurement module that measures power data and calculates energy consumption and includes a printed circuit board with a processor and memory (pars. 69, 70; Fig. 8). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the energy management, as taught by Woolard et al., to include a PCB with a processor and a memory, as taught by Holle et al., because then the measurement module would have been easily connected to the energy management system.

With regard to communicating energy data over a network and collaborating with multiple controllers to develop a distributed control strategy for a plurality of loads, as shown in claim 28, Woolard et al. teach communicating with servers and receiving data from multiple facilities and energy management in all the facilities (col. 7, line 26 - col. 8, line 25). With regard to measuring power factor, as shown in claim 30, Woolard et al. teach measuring power factor (col. 5, line 45 - col. 6, line 22). With regard to a computer readable medium with computer executable instructions, as shown in claim 32, Woolard et al. teach a computer with software for energy management (col. 5, lines 30-44).

Woolard et al. do not teach loads that are controlled by output devices connected to a backplane, as shown in claim 31. Schienbein et al. teach an energy management system that uses a backplane to connect components (col. 4, lines 39-51). It would have been obvious to one of ordinary skill in the art at the time the invention was made

Art Unit: 2857

to modify the energy management system, as taught by Woolard et al., to include a backplane, as taught by Schienbein et al., because then management of dispersed power generation would have been facilitated (Schienbein et al. col. 1, line 42 - col. 2, line 10).

15. Claim 29 is rejected under 35 U.S.C. 103(a) as being unpatentable over Woolard et al. in view of Schienbein et al. and Holle et al. as applied to claim 27 above, and further in view of Hart.

Woolard et al., Schienbein et al. and Holle et al. teach all the limitations of claim 27 upon which claim 29 depends. Woolard et al., Schienbein et al. and Holle et al. do not teach that sensed data is limited to volts, amperes and watts, as shown in claim 29. Hart teaches measuring only volts and amperes from which watts can be easily calculated (col. 5, lines 17-31). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the energy management combination, as taught by Woolard et al., Schienbein et al. and Holle et al., to include measuring only volts and amperes, as taught by Hart, because then fewer sensors and measurement hardware would have been needed.

Conclusion

16. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Davis et al. (US Patent No. 5,576,700) teach load management.


Ehlers et al. (US Patent Application Publication 2001/0010032) teach energy management.

Wilson et al. (US Patent Application Publication 2003/0187550) teach electrical power distribution control.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Manuel L. Barbee whose telephone number is 571-272-2212. The examiner can normally be reached on Monday-Friday from 9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marc S. Hoff can be reached on 571-272-2216. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Manuel L. Barbee
Examiner
Art Unit 2857

mlb
March 3, 2006